

Site	Site	Date	Time	Gage	TP	OP	SS	COMMENTS
CC1	CC1	4/13/02			84	47	6	
	CC1	4/20/02		0.76	53	30	7	
	CC1	4/27/02		0.9	38	18	10	
	CC1	5/4/02		0.8	36		6.5	
	CC1	5/8/02		1.08	93	34	39	
	CC1	5/11/02		1.4	69	30	17	
	CC1	5/18/02		1.35	85	42	41	
	CC1	5/29/02		0.7	39	21	6	
	CC1	6/3/02	9:20	0.64	41	23	5	
	CC1	6/7/02		0.76	52	32	6	
	CC1	6/10/02	8:45	0.62	62	38	9.5	
	CC1	6/13/02	12:40	0.52	65			
	CC1	6/17/02	8:45	0.50	64	42		
	CC1	6/18/02	4:00	0.5	79	35	7.5	not very deep
	CC1	6/25/02	10:25	1.32	130	116	3	
	CC1	7/1/02	8:50	0.79	118	98	15	
	CC1	7/8/02	8:52	1	296	218	9	
	CC1	7/15/02	8:45	0.79	119	89	11	
	CC1	7/22/02	9:00	0.60	122	87	8	
	CC1	7/25/02	9:35	0.70	142	89	26	
	CC1	7/29/02	9:00	0.63	78	66	8.5	
	CC1	8/5/02	9:05	0.51	88	92	5.5	
	CC1	8/12/02	9:50	0.36	130	99	18	
	CC1	8/19/02	9:30	0.34				no flow
	CC1	9/8/02	9:15	0.30				no flow
	CC1	9/16/02		0.20				no flow
	CC1	9/19/02	2:10	0.54				after rain; no flow
	CC1	9/24/02		0.85				no flow
	CC1	10/2/02		0.40				no flow
	CC1	10/9/02		1.35	61			minor flow
	CC1	10/16/02		1.85				low flow-beaver
	CC1	10/23/02		2.20				low flow, beav
	CC1	10/30/02		0.85	27			good flow, beaver removed upstre:
	CC1	11/5/02		0.7	15	10		tp dup = 18
	CC1	11/19/02		1.2	21	9	0	strong flow, bvr
	CC1	11/26/02		1.5	9	12		strong flow, bvr
	CC1	12/11/02		1.7				flow under ice
	CC1	12/31/02	est	1.7				flow under ice
CC2	CC2	4/20/02		0.58	44	23		
	CC2	4/27/02		0.87	35	18		
	CC2	5/4/02		0.69	33			
	CC2	5/8/02		1.15	73	45		
	CC2	5/11/02		1.46	35	10		
	CC2	5/18/02		1.2	36	12		
	CC2	5/29/02		0.3	30	19		
	CC2	6/7/02		0.32				
	CC2	6/13/02	12:35	0.12	45			
	CC2	6/18/02	4:07	0.07	61	29	2	
	CC2	7/25/02	9:25	0.38	78	49	3.5	
CC3	CC3	6/13/02	12:30	1.37	47	27		
	CC3	6/18/02	4:16	1.35	45	26	2	
	CC3	7/25/02	9:10	0.63				no flow
DD1E	DD1E	9/9/02		-1.60				no flow
	DD1E	9/17/02		-1.60				no flow
	DD1E	9/19/02		-30.00				no flow
	DD1E	9/24/02		-1.30				no flow
	DD1E	10/2/02		-1.00				no flow
	DD1E	10/9/02		-8.00				no flow
	DD1E	10/16/02		-1.00				no flow, frozen
	DD1E	10/23/02		-15.00				no flow/frozen
	DD1E	10/30/02		-1.40				NF - frozen
	DD1E	11/5/02						NF - frozen
	DD1E	11/19/02						no flow- frozen
	DD1E	11/26/02						no flow- frozen
	DD1E	12/11/02						no flow- frozen
	DD1E	12/31/02						no flow- frozen
DD1W	DD1W	5/8/02			685	498	55	
	DD1W	6/6/02	8:45	0.8	92	63	1.5	from top
	DD1W	6/11/02	8:55		104	85	3	
	DD1W	6/12/02	8:50	-0.8	99	88		ht. In culvert = .8 no flow
	DD1W	6/13/02		-0.6				NO FLOW
	DD1W	6/18/02	4:37	2.1	173	122	7	
	DD1W	6/20/02	9:25	0.6	147	93	7.5	above culv.

DD1W	6/25/02	9:25		105	68	1	
DD1W	6/26/02	3:20		101		4.5	
DD1W	6/27/02	8:50	0.3	118		5.5	from top
DD1W	6/28/02	9:05	0.4	119		4.5	from top
DD1W	7/1/02	9:10		136	93	7	
DD1W	7/2/02	8:30	0.6	145	101	2.5	from top
DD1W	7/3/02	9:05	0.6	153	117	3.5	from top
DD1W	7/9/02	9:42	0.5	139	99	4	from top
DD1W	7/18/02	10:35		109	131	3	
DD1W	7/23/02	10:10	0.75	132	123	8	
DD1W	7/25/02	10:05	0.47	208	154	5.5	
DD1W	7/31/02	11:22	0.84	141		4.5	gage from top of culvert
DD1W	8/7/02	9:35	0.99	132	122	1.5	
DD1W	8/15/02	9:30	0.97				no flow
DD1W	8/20/02	9:30	1.01				no flow
DD1W	9/9/02		-1.08				very slight flow
DD1W	9/17/02		-1.08				no flow
DD1W	9/19/02		-1.00				low flow
DD1W	9/24/02		-0.90				no flow
DD1W	10/2/02		-0.80				no flow
DD1W	10/9/02		-8.00				no flow
DD1W	10/16/02		-8.00				no flow, frozen
DD1W	10/23/02		-8.00				no flow
DD1W	10/30/02		-8.00				NF - frozen
DD1W	11/5/02		NF				NF - frozen
DD1W	11/19/02						no flow - frozen
DD1W	11/26/02						no flow - frozen
DD1W	12/11/02						no flow - frozen
DD1W	12/31/02						no flow - frozen
DD2	DD2	5/8/02		133	64	38.5	
DD2	DD2	6/6/02	8:50	52	24	0.5	
DD2	DD2	6/11/02	9:00	56	35	2.5	
DD2	DD2	6/12/02	9:00	78	47		ht. In culvert = 2.36
DD2	DD2	6/13/02					no flow
DD2	DD2	6/18/02	4:31	0.68	64	37	3.5
DD2	DD2	6/20/02	9:20	0.6	99	58	3 from top
DD2	DD2	6/25/02	9:20	1.7	79	41	1 from top
DD2	DD2	7/1/02	9:05		108	75	5
DD2	DD2	7/9/02	9:50	1.5	173	117	19 from top
DD2	DD2	7/18/02	10:40		109	81	8
DD2	DD2	7/23/02	9:50	2.40	104	98	5.5
DD2	DD2	7/25/02	9:47	1.96	15	86	5
DD2	DD2	7/31/02	11:20	2.36	116	96	3.5 gage from top of culvert
DD2	DD2	8/7/02	9:40	2.45	130	101	11
DD2	DD2	8/15/02	9:20	2.50			no flow
DD2	DD2	8/20/02	9:25	2.58			no flow
DD2	DD2	9/9/02		-3.50			no flow
DD2	DD2	9/17/02		-3.50			no flow-30" culvert
DD2	DD2	9/19/02		-29.00			small flow
DD2	DD2	9/24/02		-2.80			very low flow
DD2	DD2	10/2/02		-35.00			no flow
DD2	DD2	10/9/02		-30.00			slight flow
DD2	DD2	10/16/02		-33.00			no flow, frozen
DD2	DD2	10/23/02		-30.00			very low flow
DD2	DD2	10/30/02		-30.00			slight flow-frozen
DD2	DD2	11/5/02					NF - frozen
DD2	DD2	11/19/02					no flow
DD2	DD2	11/26/02					no flow
DD2	DD2	12/11/02					no flow
DD2	DD2	12/31/02					no flow
DD3	DD3	5/8/02		119	89	20	
DD3	DD3	6/6/02	9:00				
DD3	DD3	6/11/02	9:05	79	49	2.5	
DD3	DD3	6/12/02	9:05	99			
DD3	DD3	6/13/02					no flow
DD3	DD3	6/18/02	4:25	1.5			
DD3	DD3	6/20/02	9:15	172	136	2.5	
DD3	DD3	6/25/02					no flow
DD3	DD3	6/26/02					no flow
DD3	DD3	6/27/02					no flow
DD3	DD3	6/28/02					no flow
DD3	DD3	7/1/02	9:00				no flow
DD3	DD3	7/9/02					no flow
DD3	DD3	7/18/02					no flow
DD3	DD3	7/31/02	11:18	x			no flow
DD3	DD3	8/7/02	9:50	1.00			no flow
DD3	DD3	8/15/02	9:15	1.00			no flow
DD3	DD3	8/20/02	9:20	0.94			no flow
Holmes	Holmes	6/13/02	1:20	357			

PAVE	PAVE	5/8/02						
PAVW	PavW	5/8/02		501	493	444		
PR0	PR0	1/5/02	1.7	25	7	x		
	PR0	1/12/02	F	13	4	1.5		
	PR0	1/20/02	F	18	7	3		
	PR0	1/26/02	1.65	22				
	PR0	2/3/02	F	18	7	1.5		
	PR0	2/10/02	F	21	7	5		
	PR0	2/18/02	1.5	15	9	1		
	PR0	2/23/02	1.5	19	5	1		
	PR0	3/2/02	F	15	4	0.5		
	PR0	3/10/02	F	16	4	0.5		
	PR0	3/16/02	F	18	8	0.5		
	PR0	3/29/02	1.46	22	4	0.5		
	PR0	4/13/02	1.6	22	5	0.5		
	PR0	4/20/02	1.65	22	5	0.5		
	PR0	4/27/02	1.6	25	7	2		
	PR0	5/4/02	1.6	21		5.5		
	PR0	5/11/02	1.7	25	5	2		
	PR0	5/18/02	1.7	18	4	2		
	PR0	5/29/02	1.6	21	5	0		
	PR0	6/3/02	9:30	1.58	19	4	1.5	
	PR0	6/7/02		1.53	24	5		
	PR0	6/10/02	8:50	1.56	27	5	1	
	PR0	6/17/02	9:00	1.42	39	7		
	PR0	6/25/02	9:35	1.88	39	7	0.5	
	PR0	7/1/02	8:45	1.78	58	9	11	
	PR0	7/8/02	8:45	1.8	32	6	1	
	PR0	7/15/02	8:40	1.79	41	4	6	
	PR0	7/22/02	8:50	1.68	29	10	6	
	PR0	7/29/02	8:47	1.80	22	9	2.5	
	PR0	8/5/02	8:55	1.63	35	12	3	
	PR0	8/12/02	9:40	1.59	25	6	1.5	
	PR0	8/19/02	9:10	1.59	36	12	4.5	
	PR0	9/8/02	9:20	0.50				
	PR0	9/16/02		1.38	0.027	0.017		
	PR0	9/20/02		1.45				cleaned gauge
	PR0	10/2/02		1.39	22			
	PR0	10/9/02		1.42	22			
	PR0	10/23/02		1.40				low flow
	PR0	10/30/02		1.46	22			
	PR0	11/5/02		1.45	18	6		
	PR0	11/19/02			18	3	0	gage frozen, flow
	PR0	11/26/02		1.55	10	51		gage frozen, flow
	PR0	12/11/02		1.55	25	4	5	gage frozen, flow
	PR0	12/31/02	est	1.55				gage frozen, flow
PR1	PR1	1/5/02		2.4	22	6	x	
	PR1	1/12/02		2.29	13	2		
	PR1	1/20/02		2.27	15	5		
	PR1	1/26/02		2.18	17			
	PR1	2/3/02		F	16	5		
	PR1	2/10/02		2.24	18	5		
	PR1	2/18/02		2.22	13	5		
	PR1	2/23/02		2.22	16	4		
	PR1	3/2/02		2.21	5	2		
	PR1	3/10/02		F	24	7		
	PR1	3/16/02		2.22	19	7		
	PR1	3/24/02		2.26	16	4		
	PR1	3/29/02		2.26	18	4		
	PR1	4/6/02		2.28	18	9		
	PR1	4/13/02		2.3	22	5		
	PR1	4/20/02		2.32	15	5		
	PR1	4/27/02		2.3	18	5		
	PR1	4/30/02		2.3	15			
	PR1	5/8/02		2.75	10	6	6.5	
	PR1	5/11/02		2.4	18	2		
	PR1	5/18/02		2.4	13	5		
	PR1	5/29/02		2.3	18	4		
	PR1	6/6/02	8:40	2.25	25	4		
	PR1	6/7/02		2.24	25			
	PR1	6/11/02	8:50	2.21	24	5		
	PR1	6/20/02	9:30	2.24	32	7	2.5	
	PR1	6/25/02	9:30	2:54	25	9	0	
	PR1	6/26/02	3:25	2.49	32		2.5	
	PR1	6/27/02	8:55	2.51	32		3	
	PR1	6/28/02	9:10	2.49	15		1	
	PR1	7/1/02	9:15	2.46	27	12	1	

	PR1	7/2/02	8:45	2.4	19	9		
	PR1	7/3/02	9:10	2.39	19	10	1	
	PR1	7/9/02	9:40	2.46	19	4		
	PR1	7/18/02	10:30	2.38	16	3		
	PR1	7/23/02	10:20	2.32	21	12		
	PR1	7/31/02	11:25	2.35	21	6		
	PR1	8/6/02	1:30	2.22	19	6		
	PR1	8/15/02	9:35	2.18	16	4	0	
	PR1	8/20/02	9:35	2.17	22	6		
	PR1	9/8/02	9:25	2.15				
	PR1	9/17/02	10:55	2.02	0.018	0.011		
	PR1	9/24/02		2.08				
	PR1	10/2/02		2.04	13			low flow
	PR1	10/9/02		2.08	22			beaver?DS 1.85
	PR1	10/23/02		2.08				pr1a = 1.2, low flow
	PR1	10/30/02		2.08				
	PR1	11/5/02		2.08				
	PR1	11/19/02		2.16	18	3	0	
	PR1	11/26/02		2.1				
	PR1	12/11/02		2.1				
	PR1	12/31/02		2.1				
PR1a	PR1a	10/2/02		1.70				low flow
	PR1a	10/16/02		1.82				beaver?
	PR1a	10/30/02		0.40				beaver gone
	PR1a	11/19/02		0.4				
	PR1a	12/11/02		0.38				
	PR1a	12/31/02		1.35				
PR2	PR2	6/26/02	3:30	2.1	84		5	
	PR2	6/27/02	9:00	2.06	61		6	
	PR2	6/28/02	9:15	1.96	50		4.5	
	PR2	7/1/02	9:20	1.78	62	36	5	
	PR2	7/2/02	8:55	1.7	55	27	3.5	
	PR2	7/3/02	9:15	1.66	52	28	3.5	
	PR2	7/25/02	10:10	1.66	44	22	0.5	
	PR2	9/17/02		1.10				
	PR2	10/16/02		0.50				low flow
PR2a	PR2a	6/6/02	10:15	0.07	41	23	1	
	PR2a	6/11/02	9:20	0.66	108	55	22.5	
	PR2a	6/12/02	9:20	0.64	39	29		
	PR2a	6/20/02	9:45	2.19	73	35	2.5	
	PR2a	6/25/02	10:50	1.48	84	41		
	PR2a	6/26/02	3:35	2.1	84		2	
	PR2a	6/27/02	9:05	2.28	118		5.5	
	PR2a	6/28/02	9:20	2.22	150		6.5	
	PR2a	7/1/02	9:30	2.12	193	148	8	
	PR2a	7/2/02		2.09	196	151	5	
	PR2a	7/3/02	9:30	2.11	173	128	4	
	PR2a	7/9/02	9:00	2.65	128	84	2.5	
	PR2a	7/18/02	9:25	2.90	131	143	3	
	PR2a	7/23/02	10:45	2.95	165	126	8.5	
	PR2a	7/25/02	10:45	2.90	92	63	2	
	PR2a	7/31/02	11:30	2.50	98		2	
	PR2a	8/6/02	1:00	2.21	64	46	3	
	PR2a	8/15/02	10:00	1.87	62	42	2	
	PR2a	8/20/02						
	PR2a	9/9/02		1.25				
	PR2a	9/17/02	10:40	1.00	0.07	0.045		low flow-weed/algae
PR3	PR3	3/29/02		1.26	132	13		
	PR3	4/6/02		1.1	48	32	5.5	
	PR3	4/13/02		1.56	85	40	8	
	PR3	4/20/02		1.49	47	26	5.5	
	PR3	4/27/02		1.29	42	26	4.5	
	PR3	4/30/02		1.25	42		5	
	PR3	5/8/02		1.42	145	100	33.5	
	PR3	5/11/02		1.48	47	24	3.5	
	PR3	5/18/02		1.4	36	19	2.5	
	PR3	5/29/02		1.22	55	38	2.5	
	PR3	6/6/02	11:00	1.02	62	33	3	
	PR3	6/7/02		0.99	40			
	PR3	6/11/02	9:40	0.99	231	110	18.5	
	PR3	6/12/02	9:40	0.89	53	37		
	PR3	6/20/02	8:50	2.4	211	128	12.5	
	PR3	6/25/02	8:45	2.2	116	85	2	
	PR3	6/26/02	3:10	1.99	125		4	
	PR3	6/27/02	9:35	1.9	116		4.5	
	PR3	6/28/02	9:30	1.78	141		5	
	PR3	7/1/02	9:55	1.41	161	108	4	

PR3	7/2/02		1.38	147	101	2	
PR3	7/3/02	9:45	1.33	99	114	1	
PR3	7/9/02	8:40	1.6	125	90	2	
PR3	7/18/02	11:05	1.69	79	122	0	
PR3	7/23/02	8:50	2.24	161	99	42	
PR3	7/31/02	10:50	2.25	76	55	0.5	
PR3	8/7/02	9:00	2.05	45	27	0	
PR3	8/15/02	8:50	1.91	41	21	0	
PR3	8/20/02	9:00	1.74	39	25	4	
PR3	9/8/02	9:35	1.5?				gage unreadable
PR3	9/17/02		0.50	0.055	0.035		low flow
PR3	9/19/02		1.10				
PR3	9/20/02		1.00				cleaned gauge
PR3	9/24/02		0.90	42	27		
PR3	10/2/02		0.80				
PR3	10/9/02		0.94				
PR3	10/16/02		0.80				
PR3	10/23/02		0.98				
PR3	10/30/02		1.00				
PR3	11/5/02		0.95				
PR3	11/19/02		0.98				
PR3	11/26/02		0.9				
PR3	12/11/02		1				
PR3	12/31/02	est	1.5				
PR4a/5	PR4a/5	2/18/02	1.4	65	49	5	
PR4a/5	PR4a/5	2/23/02	1.34	41	24	2.5	
PR4a/5	PR4a/5	3/29/02	1.7	111	15	9	
PR4a/5	PR4a/5	4/6/02	1.47	44	29	4	
PR4a/5	PR4a/5	4/13/02	1.9	110	54	15	
PR4a/5	PR4a/5	4/20/02	1.82	56	3	7.5	
PR4a/5	PR4a/5	4/27/02	1.4	62	44	12	
PR4a/5	PR4a/5	4/30/02	1.6	88		13	
PR4a/5	PR4a/5	5/8/02	2.19	292	215	163.5	
PR4a/5	PR4a/5	5/11/02	2	50	29	7	
PR4a/5	PR4a/5	5/18/02	1.89	49	24	7	
PR4a/5	PR4a/5	5/29/02	1.59	53	32	3.5	
PR4a/5	PR4a/5	6/3/02	9:50	1.54	53	33	6
PR4a/5	PR4a/5	6/7/02		1.45	53		
PR4a/5	PR4a/5	6/10/02	9:15	1.42	53	32	6
PR4a/5	PR4a/5	6/17/02	9:30	1.3	54	32	
PR4a/5	PR4a/5	6/25/02	9:50	2.52	128	88	6.5
PR4a/5	PR4a/5	7/1/02	10:15	1.8	124	98	5.5
PR4a/5	PR4a/5	7/8/02	9:10	1.96	148	96	6.5
PR4a/5	PR4a/5	7/15/02	9:45	1.56	87	54	1
PR4a/5	PR4a/5	7/22/02	9:40	1.78	115	90	8
PR4a/5	PR4a/5	7/29/02	9:25	1.74	69	60	5
PR4a/5	PR4a/5	8/5/02	9:45	1.51	53	31	1
PR4a/5	PR4a/5	8/12/02	9:15	1.43	42	34	1
PR4a/5	PR4a/5	8/19/02	10:20	1.37	65	9	
PR4a/5	PR4a/5	9/8/02	9:40	1.20			
PR4a/5	PR4a/5	9/17/02		1.20	0.049	0.031	low flow
PR4a/5	PR4a/5	9/24/02		1.48			
PR4a/5	PR4a/5	10/2/02		1.46	29		low flow
PR4a/5	PR4a/5	10/9/02		1.55	32		
PR4a/5	PR4a/5	10/16/02		1.48	35		
PR4a/5	PR4a/5	10/23/02		0.60	39		
PR4a/5	PR4a/5	10/30/02		1.60	39		murky
PR4a/5	PR4a/5	11/5/02		1.65	39	28	
PR4a/5	PR4a/5	11/19/02		1.65	35	22	0 milky-green color
PR4a/5	PR4a/5	11/26/02		1.8	24	25	milky-green color
PR4a/5	PR4a/5	12/11/02		1.7	61	30	6 milky-green color
PR4a/5	PR4a/5	12/31/02	est	1.8			milky-green color
PR6	PR6	1/5/02		1.2	20	7	
PR6	PR6	1/12/02		1.1	8	5	
PR6	PR6	1/20/02		1.09	15	10	
PR6	PR6	1/26/02		1.04	14		
PR6	PR6	2/3/02		1.1	16	5	
PR6	PR6	2/10/02		1	15	5	
PR6	PR6	2/18/02		1	13	10	
PR6	PR6	2/23/02		1	16	4	
PR6	PR6	3/2/02		0.97	13	4	
PR6	PR6	3/10/02		1	13	4	
PR6	PR6	3/16/02		0.97	16	5	
PR6	PR6	3/24/02		0.97	13	4	

PR4a/5

PR6

PR6	3/29/02		0.96	2	1
PR6	4/6/02		0.98	15	7
PR6	4/13/02		1.1	18	5
PR6	4/20/02		1.19	15	4
PR6	4/27/02		1.2	16	7
PR6	5/4/02		1.17	21	
PR6	5/11/02		1.31	15	4
PR6	5/18/02		1.33	16	4
PR6	5/29/02		1.26	19	5
PR6	6/3/02	10:00	1.18	18	5
PR6	6/7/02		1.11	24	
PR6	6/10/02	9:25	1.1	24	5
PR6	6/17/02	10:10	1.08	23	6
PR6	6/25/02	11:30	1.74	55	10
PR6	7/1/02	10:30	1.7	33	24
PR6	7/8/02	9:30	1.69	32	4
PR6	7/15/02	9:15	1.66	21	4
PR6	7/22/02	9:30	1.58	24	9
PR6	7/29/02	9:45	1.50	21	7
PR6	8/5/02	10:05	1.53	24	7
PR6	8/12/02	10:20	1.33	18	7
PR6	8/19/02	9:55	1.28	19	10
PR6	9/8/02	10:00	7.60		
PR6	9/9/02		1.50		
PR6	9/17/02		1.39		
PR6	9/24/02		1.34		
PR6	10/2/02		1.30		
PR6	10/9/02		1.34		
PR6	10/16/02		1.30		
PR6	10/23/02		1.30		
PR6	10/30/02		1.28		

3

	PR6		11/5/02		1.25				
	PR6		11/19/02		1.25				
	PR6		11/26/02		1.24				
	PR6		12/11/02		1.24				
	PR6		12/31/02		1.275				
PR7	PR7		1/12/02			12	2	2	
	PR7		1/20/02			18	9	2.5	
	PR7		1/26/02			15			
	PR7		2/3/02			20	5	3	
	PR7		2/10/02			18	5	1.5	
	PR7		2/18/02			16	9	1.5	
	PR7		2/23/02			24	9	2.5	
	PR7		3/2/02			18	4	2	
	PR7		3/16/02			22	7	1.5	
	PR7		3/24/02			19	4		
	PR7		3/29/02			19	4	1.5	
	PR7		4/6/02			25	17	3.5	
	PR7		4/13/02			25	7	1	
	PR7		4/20/02			30	9		
	PR7		4/27/02			32	12	10.5	
	PR7		5/4/02		15	33		5.5	
	PR7		5/11/02		15.4	32	4	3	
	PR7		5/18/02		15.4	27	7	2.5	
	PR7		5/29/02		15.3	27	5	1	
	PR7		6/5/02	10:15	15.17	29	5	1.5	
	PR7		6/12/02		15.02	32	7		
	PR7		6/19/02		15.38	42	4	4	
	PR7		6/26/02	9:20	15.64	90	38	1.5	
	PR7		7/1/02	11:10	15.62	67	30	1.5	
	PR7		7/10/02	9:30	15.72	50	7		
	PR7		7/17/02		15.71	45	15	0	
	PR7		7/24/02	9:20	15.70	41	13	2	
	PR7		7/31/02	10:00	15.52	35	9	1.5	
	PR7		8/6/02	12:35	15.48	44	7	1.5	
	PR7		8/14/02	9:30	15.36	33	7		
	PR7		8/22/02	11:00	15.35	35	7	4.5	
	PR7		9/8/02	10:30	4.22				
	PR7		9/18/02	10:05	1.72	36	23		
	PR7		9/24/02		1.72	41	26		
	PR7		10/2/02		1.66	25			
	PR7		10/9/02		1.72	25			15.44
	PR7		10/16/02		1.67	30			
	PR7		10/23/02		1.68	21			
	PR7		10/30/02		1.67	22			
	PR7		11/5/02		1.65	25	4		
	PR7		11/19/02			32	3	0	frozen
	PR7		11/26/02		1.6	19	4		frozen
	PR7		12/11/02		1.6	15	12	3	frozen
	PR7		12/31/02	est	1.4				frozen
PR7a	PR7a		10/2/02		3.90				needs cleaning
	PR7a		10/9/02		3.97				1.42
	PR7a		10/16/02		3.95				
	PR7a		10/23/02		4.00				
	PR7a		10/30/02		4.05				
	PR7a		11/5/02		4.05				
	PR7a		11/19/02		4.11				
	PR7a		11/26/02		4.11				
	PR7a		12/11/02		3.8				
	PR7a		12/31/02	est	3.7				gage frozen, flow
PR8	PR8		1/5/02		1.75	23	7		
	PR8		1/12/02		1.60	16	7		
	PR8		1/20/02		F	21	10		
	PR8		1/26/02		1.45	23			
	PR8		2/3/02		F	18	4		
	PR8		2/10/02		1.50	21	7		
	PR8		2/18/02		1.50	16	7		
	PR8		2/23/02		1.60	21	5		
	PR8		3/2/02		1.50	18	2		
	PR8		3/10/02		F	16	4		
	PR8		3/16/02		1.40	18	4		
	PR8		3/24/02		1.40	12	2		
	PR8		3/29/02		1.50	15	4		
	PR8		4/6/02		1.50	18	7		
	PR8		4/13/02		1.50	24	5		
	PR8		4/20/02		1.45	30	9		
	PR8		4/27/02		1.50	16	5		
	PR8		5/4/02		1.55	21			

PR8	5/11/02		1.60	18	2		
PR8	5/18/02		1.66	19	4		
PR8	5/29/02		1.60	16	4		
PR8	6/5/02	10:05	1.56	16	4		
PR8	6/7/02		1.48	16			
PR8	6/12/02	10:20	1.3	18	4		
PR8	6/19/02		1.63	21	<2		
PR8	6/26/02	9:10	1.87	35	9		
PR8	7/1/02	11:00	1.78	32	12	1.5	
PR8	7/10/02	9:20	1.9	36	6		
PR8	7/17/02	9:10	1.85	35	13		
PR8	7/24/02	9:05	1.72	35	9		
PR8	7/31/02	10:20	1.70	55	15		
PR8	8/6/02	11:45	1.64	41	9		
PR8	8/14/02	9:30	1.60	44	9		
PR8	8/22/02	10:50	1.50	49	7		
PR8	9/8/02						no sample taken
PR8	9/18/02	10:20	1.45	47	3		strong flow
PR8	9/24/02		1.30	53	34		
PR8	10/2/02		1.35	39			needs cleaning
PR8	10/9/02		1.15	32			
PR8	10/16/02		1.10				
PR8	10/23/02		1.20	19			
PR8	10/30/02		1.30	30			lots of solids
PR8	11/5/02		1.25	18	4		
PR8	11/19/02		1.3	27	4	1	
PR8	11/26/02		1.3	17	4		
PR8	12/11/02		1.3	18	3	3	
PR8	12/31/02		1.3				
PR9	1/5/02		x	23	7		
PR9	1/12/02		1.6	16	4		
PR9	1/20/02		1.6	20	10		
PR9	1/26/02		1.6	22			
PR9	2/3/02		1.59	20	4		
PR9	2/10/02		1.56	16	7		
PR9	2/18/02		1.5	18	10		
PR9	2/23/02		1.55	15	4		
PR9	3/2/02		1.5	13	2		
PR9	3/10/02		1.5	16	4		
PR9	3/16/02		1.5	19	7		
PR9	3/24/02		1.5	15	7		

PR9

PR9	3/29/02		1.5	17	4	
PR9	4/6/02		1.5	10		
PR9	4/13/02		1.54	15	5	
PR9	4/20/02		1.57	19	5	
PR9	4/27/02		1.56	18	7	
PR9	5/4/02		1.59	18		
PR9	5/11/02		1.7	18	4	
PR9	5/18/02		1.7	13	4	
PR9	5/29/02		1.62	16	5	
PR9	6/5/02	10:00	1.6	15	4	
PR9	6/7/02		1.55			
PR9	6/12/02	10:10	1.64	16	4	
PR9	6/19/02		1.77	27	4	
PR9	6/26/02	9:05	1.98	25	9	
PR9	7/1/02	11:00	1.96	24	10	
PR9	7/10/02	9:10	2.1	30	4	2
PR9	7/17/02	8:56	2.00	22	3	
PR9	7/24/02	9:00	1.89	25	12	
PR9	7/31/02	10:30	1.80	55		
PR9	8/6/02	12:00	1.70	27	6	
PR9	8/14/02	9:20	1.60	25	10	
PR9	8/22/02	10:30	1.49	35	6	
PR9	9/8/02	10:45				
PR9	9/18/02	10:35	1.50	30	19	strong flow
PR9	9/24/02		1.50			
PR9	10/2/02		1.40			needs cleaning
PR9	10/9/02		1.40			
PR9	11/5/02					
PR9	11/19/02					
PR9	11/26/02					
PR9	12/11/02					
PR9	12/31/02					
SC3	1/5/02		3.20	38	9	
SC3	1/12/02		3.00	18	2	
SC3	1/20/02		3.00	28	9	
SC3	1/26/02		2.90	25		
SC3	2/3/02		F	34	5	
SC3	2/10/02		2.95	27	9	
SC3	2/18/02		2.95	25	7	
SC3	2/23/02		2.95	27	5	
SC3	3/2/02		2.90	32	5	
SC3	3/10/02		F	47	9	
SC3	3/16/02		2.92	32	9	
SC3	3/24/02		2.90	32	9	
SC3	3/29/02		2.96	33	10	
SC3	4/6/02		2.92	52	13	
SC3	4/13/02		3.00	32	9	
SC3	4/20/02		3.20	59	10	
SC3	4/27/02		3.10	55	13	
SC3	5/4/02		3.10	78		
SC3	5/11/02		3.40	50	10	
SC3	5/18/02		3.30	50	12	
SC3	5/29/02		2.95	61	12	
SC3	6/3/02	10:15	2.75	81	19	
SC3	6/10/02	9:35	2.74	82	15	
SC3	6/17/02	11:00	2.65	95	9	
SC3	6/25/02	10:05	4	58	15	1.5
SC3	7/1/02	11:20	3.74	82	27	
SC3	7/8/02	9:45	3.7	99	24	
SC3	7/15/02	9:05	3.78	64	21	
SC3	7/22/02	9:15	3.50	93	19	
SC3	7/29/02	10:00	3.35	78	19	
SC3	8/5/02	10:30	2.90	69	13	
SC3	8/12/02	10:10	2.90	70	16	
SC3	8/19/02	9:40	2.92	65	13	
SC3	9/8/02	11:00				
SC3	9/18/02	9:50	2.95	59	38	slight flow
SC3	9/24/02		3.00			
SC3	10/2/02		2.95	39		sample--clean
SC3	10/9/02		2.95			gage needs cleaning
SC3	10/23/02		2.90			
SC3	10/30/02		2.92			
SC3	11/5/02		2.85			
SC3	11/19/02		2.85			
SC3	11/26/02		2.85			frozen
SC3	12/11/02		2.75			frozen
SC3	12/31/02		2.75			frozen

SC3a	SC3a	6/3/02	10:10	1.2	92	33		3/9/2006
	SC3a	6/7/02		0.75				
	SC3a	6/10/02	9:30	2.16	98	18		
	SC3a	6/17/02	10:25	2.28	109	15		
	SC3a	6/25/02	10:05	3	119	93	40.5	
	SC3a	7/1/02	11:15	3.26	133	86		
	SC3a	7/8/02	9:40	3.26	184	122		
	SC3a	7/15/02	9:10	3.3	79	43		
	SC3a	7/22/02	9:20	2.98	98	43		

	SC3a	7/29/02	9:55	2.90	81	37	
	SC3a	8/5/02	10:25	2.72	76	30	6
	SC3a	8/12/02	10:15	2.56	87	18	
	SC3a	8/19/02	9:45	2.45	67	18	
SC4	SC4	1/5/02		1	41	10	
	SC4	1/12/02		F	21	4	1.5
	SC4	1/26/02		0.91	41		
	SC4	2/18/02		F	27	13	0.5
	SC4	2/23/02		F	27	5	1
	SC4	3/2/02		F	41	7	5
	SC4	3/16/02		F	33	7	2.5
	SC4	3/24/02		F	39	13	
	SC4	3/29/02		0.76	61	15	2
	SC4	4/6/02		0.75	54	12	9
	SC4	4/13/02		0.74	62	27	4
	SC4	4/20/02		0.87	69	10	6.5
	SC4	4/27/02		0.8	53	13	
	SC4	5/4/02		0.69	33		
	SC4	5/11/02		1	75	23	12
	SC4	5/18/02		0.96	58	18	6
	SC4	5/29/02		0.87	81	40	5.5
	SC4	6/3/02	10:05	0.77	112	57	6
	SC4	6/10/02	9:25	0.68	101	35	6.5
	SC4	6/17/02	10:10	0.67	104	29	
	SC4	6/25/02	11:30	1.5	278	198	3
	SC4	7/1/02	10:35	1.33	193	134	7
	SC4	7/8/02	9:30	1.35	253	175	5.5
	SC4	7/15/02	9:20	1.28	108	61	6.5
	SC4	7/22/02	9:30	1.12	102	58	11
	SC4	7/29/02	10:00	1.14	78	49	4
	SC4	8/5/02	10:00	1.00	85	40	5.5
	SC4	8/19/02	9:50	0.86	78	25	6
	SC4	9/8/02	10:05				gage unreadable
	SC4	9/9/02		1.10			
	SC4	9/17/02		0.98	67	43	good flow
	SC4	9/24/02		0.96	49	31	
	SC4	10/2/02		0.90			
	SC4	10/9/02		0.98	41		
	SC4	10/16/02		0.85	38		
	SC4	10/23/02		0.90	41		
	SC4	10/30/02		0.90	87		
	SC4	11/5/02		0.9	49	12	
	SC4	11/19/02					frozen, flow
	SC4	11/26/02		0.85	25	10	frozen, flow
	SC4	12/11/02		0.8	42	3	6 frozen, flow
	SC4	12/31/02	est	0.8			frozen, flow
SE1	SE1	6/5/02	9:50	0.8	27	12	0
	SE1	6/7/02		0.79	27		
	SE1	6/12/02	10:05	0.8	36	13	
	SE1	6/19/02		1.1	52	10	5

SE1	6/26/02	9:00	1.27	44	7	3.5	
SE1	7/1/02	10:50	1.25	47	10	3.5	
SE1	7/10/02	9:05	1.38	52	6	4	
SE1	7/17/02		1.37	41	7	1	
SE1	7/24/02	8:50	1.30	47	15	5	
SE1	7/31/02	10:25	1.28	35			
SE1	8/6/02	12:05	1.18	38	6	1	
SE1	8/14/02	9:10	1.16	19	6	0.5	
SE1	8/22/02	10:40	0.90	25	7		
SEF1	SEF1	5/8/02		179	133	37	
SEF1	SEF1	5/8/02		180	139	18.5	
SEF1	SEF1	6/6/02	11:20	233	170	7.5	
SEF1	SEF1	6/11/02	9:45	0.1	327	287	7.5
SEF1	SEF1	6/12/02	9:45	3.2	294	266	
SEF1	SEF1	6/13/02		0.2			no flow
SEF1	SEF1	6/18/02	4:55	0.13	199	135	5
SEF1	SEF1	6/20/02	9:00	0.9	444	350	3.5
SEF1	SEF1	6/25/02	9:00	1.3	395	353	0
SEF1	SEF1	6/27/02	9:40	1.01	301		6.5
SEF1	SEF1	6/28/02	9:35	1.9	314		3
SEF1	SEF1	7/1/02	10:00	0.68	155	479	8
SEF1	SEF1	7/2/02		0.66	321	299	5.5
SEF1	SEF1	7/3/02	9:50	0.69	261	259	4
SEF1	SEF1	7/9/02	10:15	0.87	170	151	9.5
SEF1	SEF1	7/18/02	11:15	0.55	159	3	3
SEF1	SEF1	7/23/02	9:20	0.60	81	137	6
SEF1	SEF1	7/31/02	11:00	0.50			no flow
SEF1	SEF1	8/7/02	9:10	0.20			no flow
SEF1	SEF1	8/15/02	9:00	0.26			no flow
SEF1	SEF1	8/20/02	9:10	0.22			no flow
SEF1	SEF1	9/9/02		0.10			no flow
SEF1	SEF1	9/17/02	10:10	0.35			no flow
SEF1	SEF1	9/19/02		0.60			no flow
SEF1	SEF1	9/20/02		0.45			cleaned gauge

	SEF1	9/24/02		0.30				no flow
	SEF1	10/2/02		0.30				no flow
	SEF1	10/9/02		1.30				no flow
	SEF1	10/16/02		0.25				no flow
	SEF1	10/23/02		0.30				no flow
	SEF1	10/30/02		0.35				very slight flow
	SEF1	11/5/02		0.3				slight flow, frozen
	SEF1	11/19/02						
	SEF1	11/26/02						no flow
	SEF1	12/11/02		2				low flow under ice
	SEF1	12/31/02		2				low flow under ice
	SEF2	6/6/02	11:30		148	119	10	
SEF2	SEF2	6/11/02	9:50		105	15		
	SEF2	6/13/02		0.8				no flow
	SEF2	6/18/02	4:50	0.6	331	266	1	water depth
	SEF2	6/20/02	8:55	1.75	377	291	3.5	water depth
	SEF2	6/25/02	8:55		229	163	2	
	SEF2	7/1/02	10:05		93	256	3	
	SEF2	7/9/02	10:10	2	85	66	1.5	water to culvert
	SEF2	7/18/02	11:20		106	141	3.5	
	SEF2	7/23/02	9:15	3.30	59	92	4.5	
	SEF2	7/31/02	10:55	3.42	131	48	6	gage from south culvert
	SEF2	8/7/02	9:20	3.39	55	40	2	
	SEF2	8/15/02	8:55	3.75	65	46	1	gage from south culvert
	SEF2	8/20/02	8:55	3.78	147	96	8.5	
	SEF2	9/17/02	10:15	-3.40				no flow
	SEF2	10/2/02		-0.33				no flow
	SEF2	10/9/02		-30.00				no flow
	SEF2	10/16/02						no flow
	SEF2	10/23/02		-30.00				no flow
	SEF2	11/5/02						NF - frozen
	SEF2	11/19/02						
	SEF2	11/26/02						no flow
	SEF2	12/11/02						no flow
	SEF2	12/31/02						no flow
SU1	SU1	6/7/02		0.78				
	SU1	6/13/02	1:00	0.8	55			
	SU1	6/18/02	5:10	0.79	52	37	6	
	SU1	8/12/02	8:20	0.92				